



WARLON

JAPAN



HANYO INDUSTRIAL SDN BHD

No. 31, Jalan BA/11,
Kawasan Perindustrian Bukit Angkat,
Sg. Chua, Selangor.

Email: info@hanyo.com.my

<https://hanyo.com.my> P: +6019-8881-848

Warlon Sheet

Warlon Sheet is the interior design material born from Japanese culture and tradition. They are a versatile PVC laminated Washi/shoji paper with superior durability and flame resistance, and retain the original beauty of Washi paper.




Durability



Surface
washable



Certificated
flame retardant
product



Specifications

Thickness	0.2mm / 0.3mm / 0.45mm
Sizes *	930mm × 1850mm / 930mm × 2150mm / 930mm × 2450mm / 1230mm × 2450mm

Where to use

- Shoji sliding doors and fittings
- Lighting Diffusers
- Room dividers and partitions
- Sign/display decorations

Cutting : Use a utility knife, scissors, a trimmer or a cutting machine.




ワーロンシート
ベーシックシリーズ
No.120 竹




ワーロンシート
ベーシックシリーズ
No.94 楮皮入り生なり



ワーロンシート
ベーシックシリーズ
No.103 楮皮入り




ワーロンシート
ベーシックシリーズ
No.53 薄無地




ワーロンシート
ベーシックシリーズ
No.95 ホワイトフォール



ワーロンシート
ベーシックシリーズ
No.86 もみじ



ワーロンシート
ベーシックシリーズ
No.82 生なり




ワーロンシート
ベーシックシリーズ
No.1 春雨




ワーロンシート
ベーシックシリーズ
No.19 麻の葉


Warlon Sheet



ワーロンシート
ベーシックシリーズ
No.2 雲竜




ワーロンシート
ベーシックシリーズ
No.2-15G 薄雲竜



ワーロンシート
ベーシックシリーズ
No.52 無地




ワーロンシート
ベーシックシリーズ
No.61 淡彩生なり



ワーロンシート
ベーシックシリーズ
No.39 桜

Warlon Sheet



Warlon Sheet
No.2-15G (0.45mm)



Warlon Sheet
No.2-15G (0.45mm)



Warlon Sheet No.52 (0.3mm)



Warlon Sheet No.52 (0.3mm)




Warlon Sheet No.52 (0.2mm),
No.131 ~ No.135, No.138 ~ No.140,
No.145

How to attach Warlon Sheet


Warlon Sheet

• Shoji sliding door with deep ledges


- 1** Cut Warlon Sheet 1mm shorter than the frame's ledge size, making a clearance for expansion.




- 2** Apply Warlon double sided adhesive tape on horizontal frame at the bottom, and on all vertical frames and lattices. Do not peel backings yet.




- 3** Lay pre-cut Warlon Sheet over the shoji sliding door and position it. Peel backing off from the bottom frame only. Only one horizontal frame is attached at this point.




- 4** Roll up Warlon Sheet with one side attached. Peel backings off from vertical frames and lattices.



- 5** Apply tape on all horizontal lattices and the top frame, and then remove backings.



- 6** Slowly unroll Warlon Sheet while smoothing it out flat. Press firmly over adhesive surface with fingertips or a roller.





Acry Warlon

Acry Warlon faithfully recreates the design of the natural materials such as Washi paper while creating a softly lit space. It is a versatile decorative acrylic resin plate with superior light resistance and workability.



Light resistance



Hard to break



Washable



Moldability

Printed Acrylic
< P / PN >

Printed film

Acrylic sheet

Acry Warlon is made of thin printed acrylic film layered on acrylic sheet. Can be heated to form custom shapes like other acrylic sheet. Excellent material with water and light resistance.







Specifications

Thickness	1.0mm / 1.5mm / 2.0mm / 3.0mm / 5.0mm
Sizes *	910mm × 1820mm / 1100mm × 1360mm / 1000mm × 2000mm


Where to use

- Shoji sliding doors and fittings
- Lighting Diffusers
- Room dividers and partitions
- Sign/display decorations

Cutting : Use panel saw, circular saw, band saw or jig saw.



Acry Warlon





Light resistance

Superior light resistance

Excellent light resistance and almost no discoloration or degradation.



Hard to break

Hard to break

Hard to break. Even if it breaks, it is safe because it does not scatter like glass.



Washable

Washable

Excellent water resistance Since uses printed film.



Moldability

Moldability

High degree of flexibility in processing (Heating and bending.)



Durability

Durability

Superior strength and durability compared to normal Washi/shoji paper.



Surface washable

Surface washable

Laminated with PVC resin and the surface can be wiped with water.



Humidity resistance

Humidity resistance

Resistant to high humidity.
Ideal for use in walk-in shower doors and other water-related areas.



Certificated flame retardant product

Certificated flame retardant product

Certified by the Japan Fire retardant Association as a fire retardant product.

[More details.](#)



Certificated non-flammable material

Certificated non-flammable material

Certified by the Minister of Land, Infrastructure and Transport in Japan as a non-flammable material.

[More details.](#)

